Government Gazette No. 24301

No. R. 160

2003-01-31

CUSTOMS AND EXCISE ACT, 1964.-AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1174)

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended, with effect from 1 January 2003, to the extent set out in the Schedule hereto.

M MPAHLWA DEPUTY MINISTER OF FINANCE

SCHEDULE

Heading	Subheading	С	Article Description	Statist	1	7	
		D		ical Unit	General	EU	SADC
84.18			By the substitution for subheadings 8418.10 and 8418.2 of the following:				
	"8418.10	8	- Combined refrigerator-freezers, fitted with separate external doors	u	25%	16,75%	free
			- Refrigerators, household type:				
	8418.2	0	Compression-type	u	25%	16,75%	free
	8418.21	7	Absorption-type, electrical	u	25%	16,75%	free
	8418.22	1	Other	u	25%	16,75%	free"
			By the substitution for subheading 8418.30.90 of the following:				
	".90	4	Other	u	25%	16,75%	free"
			By the substitution for subheading 8418.40.90 of the following:				
	".90	9	Other	u	25%	16,75%	free"
			By the substitution for subheading 8418.50 of the following:				
	"8418.50	8	- Other refrigerating or freezing chests, cabinets, display counters, show-cases and similar refrigerating or freezing furniture	u	20%	13,4%	free"

Heading	Subheading	С	Article Description	Statist		Rate of duty	
		D		ical Unit	General	EU	SADC
84.18			By the substitution for subheading 8418.61.10 of the following:				
	".10	6	Suitable for household refrigerators or freezers	u	25%	16,75%	free"
			By the substitution for subheading 8418.69.10 of the following:				
	".10	7	Suitable for household refrigerators or freezers	kg	10%	10%	free"
			By the substitution for subheading 8418.91.10 of the following:				
	".10	3	For household refrigerators or freezers	kg	20%	13,4%	free"
			By the substitution for subheading 8418.91.20 of the following:				
	".20	7	For display counters, cabinets, show-cases or the like	kg	20%	13,4%	free"
			By the substitution for subheadings 8418.99.20, 8418.99.30 and 8418.99.40 of the following:				
	".20	8	Other, for household refrigerators or freezers	kg	10%	6,7%	free
	.30	5	 Other, for display counters, cabinets, show- cases or the like 	kg	10%	6,7%	free
	.40	2	Other evaporators and condensers	kg	10%	6,7%	free"
84.21			By the substitution for subheading 8421.12.20 of the following:				
	".20	4	 Of a dry mass loading capacity not exceeding 7 kg (excluding coin-operated types) 	u	15%	10,05%	free"

Heading	Subheading	С	Article Description	Statistical		Rate of duty	
		D		Unit	General	EU	SADC
84.21			By the substitution for subheading 8421.91.20 of the following:				
	".20	4	 For clothes dryers of a dry mass loading capacity not exceeding 7 kg 	kg	15%	10,05%	free"
			By the substitution for subheading 8421.99.66 of the following:				
	".66	3	 For filters suitable for use with motor vehicle engines (including motorcycle engines) 	kg	15%	10,05%	free"
84.25			By the substitution for subheading 8425.11 of the following:				
	".11	8	Powered by electric motor	u	10%	6,7%	free"
			By the substitution for subheading 8425.31.10 of the following:				
	".10	4	Whaling or trawling winches	u	10%	6,7%	free"
			By the substitution for subheading 8425.39.10 of the following:				
	".10	5	Whaling or trawling winches	u	10%	6,7%	free"
			By the substitution for subheading 8425.42.25, 8425.42.30, 8425.42.35 and 8425.42.50 of the following:				
	".25	3	 Bottle jacks, of a lifting capacity not exceeding 90,7 t 	u	10%	7%	free
	.30	6	Other lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t	u	10%	7%	free
	.35	0	Four post jacks, of a lifting capacity not exceeding 3,5 t	u	10%	6,7%	free

-3-

Subheading	С	Article Description	Statistical		Rate of duty		
	D		Unit	General	EU	SADC	
.50	4	Other jacks	u	10%	6,7%	free"	
		By the substitution for subheading 8425.49.90 of the following:					
".90	8	Other	u	10%	6,7%	free"	
		By the substitution for subheading 8426.41.10 of the following:					
".10	2	 Works trucks fitted with a crane and designed for container handling 	u	15%	10,05%	free"	
		By the substitution for subheading 8429.51.20 of the following:					
".20	5	 Not tracked, driven by internal combustion piston engines, of a mass of 3 000 kg or more but not exceeding 30 000 kg (excluding those specially designed for use in mines) 	u	10%	6,7%	free"	
		By the substitution for subheading 8431.10.25 and 8431.10.30 of the following:					
".25	5	 - Of other hydraulic lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks) 	kg	10%	6,7%	free	
.30	1	 - Of other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks) 	kg	10%	6,7%	free"	
		By the substitution for subheading 8431.49.50 of the following:					
".50	7	 Picks, chisels, bits and the like and blanks thereof, suitable for coal cutting machinery 	kg	1%	free	free"	
		By the substitution for subheading 8433.11.90 of the following:					
".90	9	Other	u	10%	6,7%	free"	
	.50 ".90 ".10 ".20 ".25 .30 ".50	D .50 4 ".90 8 ".10 2 ".20 5 ".25 5 .30 1 ".50 7	DImage: Construct of the following:.504 Other jacks By the substitution for subheading 8425.49.90 of the following:".908 Other By the substitution for subheading 8426.41.10 of the following:".102 Works trucks fitted with a crane and designed for container handling By the substitution for subheading 8429.51.20 of the following:".205 Not tracked, driven by internal combustion piston engines, of a mass of 3 000 kg or more but not exceeding 30 000 kg (excluding those specially designed for use in mines)".205 Of other hydraulic lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks).301 Of other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks)".507 Picks, chisels, bits and the like and blanks thereof, suitable for coal cutting machinery By the substitution for subheading 8431.10.20 of the following:	DUnit.504 Other jacksuBy the substitution for subheading 8425.49.90 of the following:uu".908 OtheruBy the substitution for subheading 8426.41.10 of the following:uu".102 Works trucks fitted with a crane and designed for container handlinguBy the substitution for subheading 8429.51.20 of the following:u".205 Not tracked, driven by internal combustion piston engines, of a mass of 3 000 kg (excluding those specially designed for use in mines)u".255 Of other hydraulic lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks)kg.301 Of other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks)kg.507 Picks, chisels, bits and the like and blanks thereof, suitable for coal cutting machinery By the substitution for subheading 8431.19.00 of the following:	DUnit.504 Other jacksuBy the substitution for subheading 8425.49.90 of the following:u10%".908 OtheruBy the substitution for subheading 8426.41.10 of the following:u10%".102 Works trucks fitted with a crane and designed for container handlingu15%By the substitution for subheading 8429.51.20 of the following:u10%".205 Not tracked, driven by internal combustion piston engines, of a mass of 3 000 kg or more but not exceeding 30 000 kg (excluding those specially designed for use in mines)u10%By the substitution for subheading 8431.10.25 and 8431.10.30 of the following:kg10%.255 Of other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks)kg10%.301 Of other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,7 t (excluding trolley mounted garage jacks)kg10%.507 Picks, chisels, bits and the like and blanks thereof, suitable for coal cutting machinerykg1%	Subheading DC DArticle DescriptionStatistical Unit.504Other jacksu10%6,7%.504Other jacksu10%6,7%.508Otheru10%6,7%.508Otheru10%6,7%.508Otheru10%6,7%.508Otheru10%6,7%.508Otheru10%6,7%.512Works trucks fitted with a crane and designed for container handlingu15%10,05%.515Not tracked, driven by internal combustion piston engines, of a mass of 3 000 kg or more but not exceeding 30 000 kg or (excluding those specially designed for use in mines)u10%6,7%.255Of other hydraulic lifting jacks, hand-type, of a lifting capacity not exceeding 90,71 (excluding trolley mounted garage jacks)kg10%6,7%.301Of other mechanical lifting iacks, hand-type, of a lifting capacity not exceeding 90,71 (excluding trolley mounted garage jacks)kg10%6,7%.307Of other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,71 (excluding trolley mounted garage jacks)kg10%6,7%.307Of other mechanical lifting jacks, hand-type, of a lifting capacity not exceeding 90,71 (excluding trolley mounted garage jacks)kg10%6,7%.307Of other mechanical lifting jacks,	

Heading	Subheading	С	Article Description	Statistical		Rate of duty		
		D		Unit	General	EU	SADC	
84.50			By the substitution for subheadings 8450.11.15 of the following:					
	".15	6	 Of a dry linen capacity not exceeding 7 kg (excluding coin-operated machines) 	u	30%	27%	6%"	
			By the substitution for subheading 8450.12.30 of the following:					
	".30	6	 Of a dry linen capacity not exceeding 7 kg 	u	30%	30%	6%"	
84.51			By the substitution for subheading 8451.21.10 of the following:					
	".10	3	Laundry drying machines, tumbler type, of a dry linen capacity not exceeding 7,5 kg (excluding coin-operated machines)	u	20%	13,4%	free"	
			By the substitution for subheading 8451.90.10 of the following:					
	".10	9	For laundry drying machines, tumbler type, of a dry linen capacity not exceeding 7,5 kg	kg	10%	6,7%	free"	
84.81			By the substitution for subheading 8481.80.37 of the following:					
	".37	4	 - Other gate valves of copper alloys, not flanged, for use with pipes of an inside cross- sectional dimension exceeding 15 mm but not exceeding 80 mm 	kg	10%	6,7%	free"	
			By the substitution for subheading 8481.80.72 and 8481.80.73 of the following:					
	".72	2	Hose fittings	kg	15%	13,5%	free	
	.73	0	Basin, bath, shower or sink waste holes and plugs therefor	kg	15%	13,5%	free"	

Heading	Subheading	С	Article Description	Statistical	Rate of duty				
		D		Unit	General	EU	SADC		
84.82			By the substitution for subheadings 8482.10.10 and 8482.10.15 of the following:						
	".10	4	Other radial deep groove bearings, single row, with a square bore, with an aggregate of the bore across the square plus the outside diameter plus width of 140 mm or more but not exceeding 154 mm	u	20%	18%	free		
	.15	5	 - Other radial deep groove bearings, single row (excluding angular contact bearings and those with a square bore), with an aggregate of the inside diameter plus outside diameter plus width of 61 mm or more but not exceeding 230 mm 	u	20%	18%	free"		
			By the substitution for subheadings 8482.20.02 and 8482.20.45 of the following:						
	".02	8	 - Journal roller bearings of the rotating end- cover type, commonly used on the axles of railway rolling stock or locomotives, of an outside diameter of 170 mm or more but not exceeding 210 mm 	u	20%	18%	free		
	.45	1	 - Cone assemblies (excluding single row), of an inside diameter of 119 mm or more but not exceeding 120 mm, or 131 mm or more but not exceeding 132 mm 	u	20%	18%	free"		

Heading	Subheading	С	Article Description	Statistical		Rate of duty		
		D		Unit	General	EU	SADC	
84.82			By the substitution for subheading 8482.99 of the following:					
	"8482.99		Other:					
	.11	6	 - Outer rings of radial deep groove ball bearings with grooved ball track in bore, finished (excluding those of an outside diameter of less than 31 mm or exceeding 130 mm) 	u	20%	18%	free	
	.17	5	 - Outer rings of journal roller bearings, finished, of an outside diameter of 195 mm or more but not exceeding 196 mm or of 207 mm or more but not exceeding 209 mm 	u	20%	18%	free	
84.83	29	9	 - Inner rings of radial deep groove ball bearings with grooved ball track on outer diameter, finished (excluding those of an outside diameter of less than 20 mm or exceeding 95 mm) By the substitution for subheading 8483.30.55 	u	20%	18%	free"	
04.03			of the following:					
	".55	7	 - Plain shaft bearings, of a kind consisting of halves, with a inside diameter not exceeding 125 mm and a wall thickness of less than 5 mm 	u	20%	18%	free"	