Government Gazette No. 24887

No. R.687

2003-05-23

CUSTOMS AND EXCISE ACT, 1964.-AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1187)

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended, with retrospective effect to 1 January 2003, to the extent set out in the Schedule hereto.

M MPAHLWA DEPUTY MINISTER OF FINANCE

Head=	Subheading	С	Article Description	Statistical	Rate of Duty			
ing		D		Unit	General	EU	SADC	
72.08, 72.09, 72.10 and 72.11			By the substitution for headings 72.08, 72.09, 72.10 and 72.11 of the following					
"72.08			Flat-rolled products of iron or non- alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:					
	7208.10	5	 In coils, not further worked than hot- rolled, with patterns in relief 	kg	5%	3,35%	free	
	7208.2		- Other, in coils, not further worked than hot-rolled, pickled:					
	7208.25	1	Of a thickness of 4,75 mm or more	kg	5%	3,35%	free	
	7208.26	8	- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free	
	7208.27	4	Of a thickness of less than 3 mm	kg	5%	3,35%	free	
	7208.3		- Other, in coils, not further worked than hot-rolled:					

SCHEDULE

Head=	Subheading	Subheading C	Article Description	Statistical		Rate of Duty	7
ing		D		Unit	General	EU	SADC
	7208.36	2	Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7208.37	9	- Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7208.38	5	 Of a thickness of 3 mm or more but less than 4,75 mm 	kg	5%	3,35%	free
	7208.39	1	Of a thickness of less than 3 mm	kg	5%	3,35%	free
	7208.40	9	 Not in coils, not further worked than hot-rolled, with patterns in relief 	kg	5%	3,35%	free
	7208.5		- Other, not in coils, not further worked than hot rolled:				
	7208.51	8	Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7208.52	6	- Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7208.53	2	- Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7208.54	9	Of a thickness of less than 3 mm	kg	5%	3,35%	free
	7208.90	1	- Other	kg	5%	3,35%	free
72.09			Flat-rolled products of iron or non- alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:				
	7209.1		 In coils, not further worked than cold- rolled (cold-reduced): 				
	7209.15	0	Of a thickness of 3 mm or more	kg	5%	3,35%	free

Head=	Subheading	С	Article Description	Statistical		Rate of Duty		
ing		D		Unit	General	EU	SADC	
	7209.16	7	Of a thickness exceeding 1 mm but less than 3 mm	kg	5%	3,35%	free	
	7209.17	3	Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5%	3,35%	free	
	7209.18	7	Of a thickness of less than 0,5 mm	kg	5%	3,35%	free	
	7209.2		 Not in coils, not further worked than cold-rolled (cold-reduced): 					
	7209.25	5	Of a thickness of 3 mm or more	kg	5%	3,35%	free	
	7209.26	1	Of a thickness exceeding 1 mm but less than 3 mm	kg	5%	3,35%	free	
	7209.27	8	 Of a thickness of 0,5 mm or more but not exceeding 1 mm 	kg	5%	3,35%	free	
	7209.28	4	Of a thickness of less than 0,5 mm	kg	5%	3,35%	free	
	7209.90	5	Other	kg	5%	3,35%	free	
72.10			Flat-rolled products of iron or non- alloy steel, of a width of 600 mm or more, clad, plated or coated:					
	7210.1		- Plated or coated with tin:					
	7210.11	5	Of a thickness of 0,5 mm or more	kg	free	free	free	
	7210.12	1	Of a thickness of less than 0,5 mm	kg	5%	3,35%	free	
	7210.20	3	- Plated or coated with lead, including terne-plate	kg	free	free	free	
	7210.30	8	- Electrolytically plated or coated with zinc	kg	5%	3,35%	free	
	7210.4		- Otherwise plated or coated with zinc:					
	7210.41	9	Corrugated	kg	5%	3,35%	free	

Head=	Subheading	С	Article Description	Statistical		Rate of Duty	7
ing		D		Unit	General	EU	SADC
	7210.49	0	- Other	kg	5%	3,35%	free
	7210.50	7	 Plated or coated with chromium oxides or with chromium and chromium oxides 	kg	5%	3,35%	free
	7210.6		- Plated or coated with aluminium:				
	7210.61	8	Plated or coated with aluminium-zinc alloys	kg	free	free	free
	7210.69	9	Other	kg	free	free	free
	7210.70	6	- Painted, varnished or coated with plastics	kg	5%	3,35%	free
	7210.90	5	- Other	kg	5%	3,35%	free
72.11			Flat-rolled products of iron or non- alloy steel, of a width of less than 600 mm, not clad, plated or coated:				
	7211.1		- Not further worked than hot-rolled:				
	7211.13	1	 - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief 	kg	5%	3,35%	free
	7211.14	8	Other, of a thickness of 4,75 mm or more	kg	5%	3,35%	free
	7211.19	1	Other	kg	5%	3,35%	free
	7211.2		 Not further worked than cold-rolled (cold reduced): 				
	7211.23	6	Containing by mass less than 0,25 per cent of carbon	kg	5%	3,35%	free
	7211.29	4	Other	kg	5%	3,35%	free
	7211.90	6	- Other	kg	5%	3,35%	free"
72.12			By the substitution for subheadings 7212.10.20, 7212.20, 7212.30 and 7212.40 of the following:				
	".20	0	Of a thickness of less than 0,5 mm	kg	5%	3,35%	free

4.

Head=	Subheading	С	Article Description	Statistical		Rate of Duty	7
ing		D	-	Unit	General	EU	SADC
	7212.20	0	- Electrolytically plated or coated with zinc	kg	5%	3,35%	free
	7212.30	5	- Otherwise plated or coated with zinc	kg	5%	3,35%	free
	7212.40	2	- Painted, varnished or coated with plastics	kg	5%	3,35%	free"
72.13, 72.14, 72.15, 72.16 and 72.17			By the substitution for headings 72.13, 72.14, 72.15, 72.16 and 72.17 of the following:				
"72.13			Bars and rods, hot-rolled, in irregular wound coils, of iron or non-alloy steel:				
	7213.10	3	- Containing indentations, ribs, grooves or other deformations produced during the rolling process	kg	5%	3,35%	free
	7213.20	4	- Other, of free-cutting steel	kg	5%	3,35%	free
	7213.9		- Other:				
	7213.91	2	Of circular cross-section measuring less than 14 mm in diameter	kg	5%	3,35%	free
	7213.99	3	Other	kg	5%	3,35%	free
72.14			Other bars and rods of iron or non- alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot- extruded, but including those twisted after rolling:				
	7214.10	3	- Forged	kg	5%	3,35%	free
	7214.20	8	 Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling 	kg	5%	3,35%	free
	7214.30	2	- Of free-cutting steel	kg	5%	3,35%	free
	7214.9		- Other:				
	7214.91	6	Of rectangular (excluding square) cross-section	kg	5%	3,35%	free
	7214.99	7	Other	kg	5%	3,35%	free

Head=	Subheading	С	Article Description	Statistical	Rate of Duty		ý
ing		D		Unit	General	EU	SADC
72.15			Other bars and rods of iron or non- alloy steel:				
	7215.10	7	- Of free-cutting steel, not further worked than cold-formed or cold-finished	kg	5%	3,35%	free
	7215.50	5	 Other, not further worked than cold- formed or cold-finished 	kg	5%	3,35%	free
	7215.90	3	- Other	kg	5%	3,35%	free
72.16			Angles, shapes and sections of iron or non-alloy steel:				
	7216.10	0	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	kg	5%	3,35%	free
	7216.2		 L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm: 				
	7216.21	1	L sections	kg	5%	3,35%	free
	7216.22	8	T sections	kg	5%	3,35%	free
	7216.3		- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:				
	7216.31	6	U sections	kg	5%	3,35%	free
	7216.32	2	I sections	kg	5%	3,35%	free
	7216.33	9	H sections	kg	5%	3,35%	free
	7216.40	4	 L or T sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm or more 	kg	5%	3,35%	free
	7216.50	9	 Other angles, shapes and sections, not further worked than hot- rolled, hot- drawn or extruded 	kg	5%	3,35%	free
	7216.6		 Angles, shapes and sections, not further worked than hot-formed or cold- finished: 				
	7216.61	8	Obtained from flat-rolled products	kg	5%	3,35%	free
	7216.69	0	Other	kg	5%	3,35%	free

Head=	Subheading	С	Article Description	Statistical		Rate of Duty	7
ing		D		Unit	General	EU	SADC
	7216.9		- Other:				
	7216.91	3	 Cold-formed or cold-finished from flat-rolled products 	kg	5%	3,35%	free
	7216.99	4	Other	kg	5%	3,35%	free
72.17			Wire of iron or non-alloy steel:				
	7217.10	4	- Not plated or coated, whether or not polished	kg	5%	3,35%	free
	7217.20	9	Plated or coated with zinc	kg	5%	3,35%	free
	7217.30	3	Plated or coated with other base metals	kg	5%	3,35%	free
	7217.90	0	Other	kg	5%	3,35%	free"
72.19 and 72.20			By the substitution for headings 72.19 and 72.20 of the following:				
"72.19			Flat-rolled products of stainless steel, of a width of 600 mm or more:				
	7219.1		- Not further worked than hot-rolled, in coils:				
	7219.11	8	Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7219.12	4	Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7219.13	0	Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7219.14	7	Of a thickness of less than 3 mm	kg	5%	3,35%	free
	7219.2		- Not further worked than hot rolled, not in coils:				
	7219.21	2	Of a thickness exceeding 10 mm	kg	5%	3,35%	free
	7219.22	9	- Of a thickness of 4,75 mm or more but not exceeding 10 mm	kg	5%	3,35%	free
	7219.23	5	Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7219.24	1	Of a thickness of less than 3 mm	kg	5%	3,35%	free

7.

Head=	Subheading	С	Article Description	Statistical		Rate of Duty	7
ing		D	-	Unit	General	EU	SADC
	7219.3		 Not further worked than cold-rolled (cold-reduced): 				
	7219.31	7	Of a thickness of 4,75 mm or more	kg	5%	3,35%	free
	7219.32	3	Of a thickness of 3 mm or more but less than 4,75 mm	kg	5%	3,35%	free
	7219.33	7	Of a thickness exceeding 1 mm but less than 3 mm	kg	5%	3,35%	free
	7219.34	6	Of a thickness of 0,5 mm or more but not exceeding 1 mm	kg	5%	3,35%	free
	7219.35	2	Of a thickness of less than 0,5 mm	kg	5%	3,35%	free
	7219.90	8	- Other	kg	5%	3,35%	free
72.20			Flat-rolled products of stainless steel, of a width of less than 600 mm:				
	7220.1		- Not further worked than hot-rolled:				
	7220.11	8	Of a thickness of 4,75 mm or more	kg	5%	3,35%	free
	7220.12	4	Of a thickness of less than 4,75 mm	kg	5%	3,35%	free
	7220.20	6	 Not further worked than cold-rolled (cold-reduced) 	kg	5%	3,35%	free
	7220.90	8	- Other	kg	5%	3,35%	free"
72.25			By the substitution for subheadings 7225.30, 7225.40, 7225.50 and 7225.9 of the following:				
	"7225.30	9	- Other, not further worked than hot - rolled, in coils	kg	5%	3,35%	free
	7225.40	3	- Other, not further worked than hot - rolled, not in coils	kg	5%	3,35%	free
	7225.50	8	- Other, not further worked than cold- rolled (cold-reduced)	kg	5%	3,35%	free
	7225.9		- Other:				
	7225.91	2	Electrolytically plated or coated with zinc	kg	5%	3,35%	free
	7225.92	9	Otherwise plated or coated with zinc	kg	5%	3,35%	free

Head=	Subheading	С	Article Description	Statistical		Rate of Duty	7
ing		D	-	Unit	General	EU	SADC
	7225.99		Other:				
	.10	0	Plated, coated or clad with lead or aluminium	kg	free	free	free
	.90	9	Other	kg	5%	3,35%	free"
72.26			By the substitution for subheading 7226.9 of the following:				
	"7226.9		- Other:				
	7226.91	6	Not further worked than hot-rolled	kg	5%	3,35%	free
	7226.92	2	Not further worked than cold-rolled (cold reduced)	kg	5%	3,35%	free
	7226.93	9	Electrolytically plated or coated with zinc	kg	5%	3,35%	free
	7226.94	5	Otherwise plated or coated with zinc	kg	5%	3,35%	free
	7226.99		Other:				
	.25	2	Plated or coated with tin, chromium or chromium and chromium oxides	kg	5%	3,35%	free
	.90	2	Other	kg	free	free	free"
72.28, 72.29, 73.01 and 73.02			By the substitution for headings 72.28, 72.29, 73.01 and 73.02 of the following:				
"72.28			Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:				
	7228.10	0	- Bars and rods of highspeed steel	kg	free	free	free
	7228.20	5	- Other bars and rods of silico-manganese steel	kg	5%	3,35%	free
	7228.30	8	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded	kg	5%	3,35%	free
	7228.40	4	- Other bars and rods, not further worked than forged	kg	5%	3,35%	free
	7228.50	9	- Other bars and rods, not furt her worked than cold-formed or cold-finished	kg	5%	3,35%	free

Head=	Subheading	С	Article Description	Statistical		Rate of Duty	7
ing	8	D	The second se	Unit	General	EU	SADC
	7228.60	3	- Other bars and rods	kg	5%	3,35%	free
	7228.70	8	- Angles, shapes and sections	kg	5%	3,35%	free
	7228.80	2	- Hollow drill bars and rods	kg	5%	3,35%	free
72.29			Wire of other alloy steel:				
	7229.10	4	- Of high speed steel	kg	5%	free	free
	7229.20	9	- Of silico-manganese steel	kg	5%	3,35%	free
	7229.90	0	- Other	kg	5%	3,35%	free
73.01			Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections of iron or steel:				
	7301.10	1	- Sheet piling	kg	5%	3,35%	free
	7301.20	6	- Angles, shapes and sections	kg	10%	6,7%	free
73.02			Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross- ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails:				
	7302.10	5	- Rails	kg	5%	3,35%	free
	7302.30	4	- Switch blades, crossing frogs, point rods and other crossing pieces	kg	5%	3,35%	free
	7302.40	9	- Fish-plates and sole plates	kg	5%	3,35%	free
	7302.90	1	- Other	kg	5%	3,35%	free"
73.04, 73.05, 73.06 en 73.07			By the substitution for headings 73.04, 73.05, 73.06 and 73.07 of the following				
"73.04			Tubes, pipes and hollow profiles, seamless, of iron (excluding cast iron):				
	7304.10		- Line pipe of a kind used for oil or gas pipelines:				
	.20	7	Of stainless steel	kg	free	free	free

ading .90 1 .35 .90	D 8 3 4 8 1 4	Article Description Other - Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: - Drill pipe - Other Other, of circular cross-section, of iron or non-alloy steel: - Cold-drawn or cold-rolled (cold-reduced) - Other: - Other: - Other - Other: - Other - Other	Unit kg kg kg kg kg	General 10% 10% 10% 15% 10%	EU 6,7% 6,7% 6,7% 10,05% 10,05%	SADC free free free free free free
1) 1 .35	3 4 8 1	 Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: Drill pipe Other Other, of circular cross-section, of iron or non-alloy steel: Cold-drawn or cold-rolled (cold-reduced) Other: Other: Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm Other 	kg kg kg	10% 10% 15%	6,7% 6,7% 10,05% 6,7%	free free free
.35	4 8 1	used in drilling for oil or gas: - Drill pipe - Other - Other - Other, of circular cross-section, of iron or non-alloy steel: - Cold-drawn or cold-rolled (cold- reduced) - Other: - Other: Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm Other	kg kg	10% 15% 10%	6,7% 10,05% 6,7%	free free
.35	4 8 1	 - Other Other, of circular cross-section, of iron or non-alloy steel: - Cold-drawn or cold-rolled (cold- reduced) - Other: - Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm - Other 	kg kg	10% 15% 10%	6,7% 10,05% 6,7%	free free
.35	8	 Other, of circular cross-section, of iron or non-alloy steel: Cold-drawn or cold-rolled (cold- reduced) Other: Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm Other 	kg kg	15% 10%	10,05% 6,7%	free
.35	1	or non-alloy steel: - Cold-drawn or cold-rolled (cold- reduced) - Other: - Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm Other	kg	10%	6,7%	free
.35	1	reduced) - Other: - Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm Other	kg	10%	6,7%	free
.35		 Of a wall thickness exceeding 25 mm or an outside cross-sectional dimension exceeding 170 mm Other 				
		or an outside cross-sectional dimension exceeding 170 mm Other				
.90	4		kg	15%	10,05%	free
		- Other, of circular cross-section, of				
	1	stainless steel:				
l	2	 Cold-drawn or cold-rolled (cold- reduced) 	kg	free	free	free
)	3	Other	kg	free	free	free
		- Other, of circular cross-section, of other alloy steel:				
l	7	Cold-drawn or cold-rolled (cold- reduced)	kg	15%	10,05%	free
)		Other:				
.45	8	 Of a wall thickness exceeding 25 mm or a cross-sectional dimension exceeding 170 mm 	kg	10%	6,7%	free
.90	3	Other	kg	15%	10,05%	free
)	9	- Other	kg	15%	10,05%	free
		Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel:				
9		9 .45 8 .90 3	9 Other: .45 8 Of a wall thickness exceeding 25 mm or a cross-sectional dimension exceeding 170 mm .90 3 Other .90 9 - Other 0 9 - Other Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds	9 Other:	9reduced)9 Other:.458 Of a wall thickness exceeding 25 mm or a cross-sectional dimension exceeding 170 mm.903 Otherkg.903 Otherkg09- Otherkg09Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds	9 Other:.458 Of a wall thickness exceeding 25 mm or a cross-sectional dimension exceeding 170 mm.903.903 Otherkg.909- Otherkg.909Otherkg.9010,05%.909 <td< td=""></td<>

Head=	Subheading	С	Article Description	Statistical		Rate of Duty	,
ing		D		Unit	General	EU	SADC
	7305.1		 Line pipe of a kind used for oil or gas pipelines: 				
	7305.11	2	Longitudinally submerged arc welded	kg	10%	6,7%	free
	7305.12	9	Other, longitudinally welded	kg	10%	6,7%	free
	7305.19	3	Other	kg	10%	6,7%	free
	7305.20	0	 Casing of a kind used in drilling for oil or gas 	kg	10%	6,7%	free
	7305.3		- Other, welded:				
	7305.31		Longitudinally welded:				
	.10	9	 High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm 	kg	free	free	free
	.90	7	Other	kg	10%	6,7%	free
	7305.39		Other:				
	.10	7	 High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm 	kg	free	free	free
	.90	8	Other	kg	10%	6,7%	free
	7305.90		- Other:				
	.10	7	 High-pressure hydro-electric conduits, of steel, with an internal cross-sectional dimension exceeding 400 mm and a wall thickness exceeding 10,5 mm 	kg	free	free	free
	.90	8	Other	kg	10%	6,7%	free
73.06			Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:				
	7306.10	1	- Line pipe of a kind used for oil gas pipelines	kg	10%	6,7%	free

Head= ing	Subheading	С	Article Description	Statistical Unit	Rate of Duty		
		D			General	EU	SADC
	7306.20	4	 Casing and tubing of a kind used in drilling for oil or gas 	kg	10%	6,7%	free
	7306.30	9	- Other, welded, of circular cross-section, of iron or non-alloy steel	kg	10%	6,7%	free
	7306.40	3	- Other, welded, of circular cross-section, of stainless steel	kg	10%	6,7%	free
	7306.50	8	 Other, welded, of circular cross-section, of other alloy steel 	kg	10%	6,7%	free
	7306.60	2	- Other, welded, of non-circular cross- section	kg	10%	6,7%	free
	7306.90	6	- Other	kg	10%	6,7%	free
73.07			Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel:				
	7307.1		- Cast fittings:				
	7307.11		Of non-malleable cast iron:				
	.10	7	 For use with down pipes and gutter pipes 	kg	10%	6,7%	free
	.90	5	Other	kg	10%	6,7%	free
	7307.19		Other:				
	.10	8	For use with down pipes and gutter pipes	kg	10%	6,7%	free
	.80	9	Other, of cast iron	kg	10%	6,7%	free
	.90	6	Other	kg	free	free	free
	7307.2		- Other, of stainless steel:				
	7307.21		Flanges:				
	.10	1	 For use with down pipes and gutter pipes 	kg	10%	6,7%	free
	.90	7	Other	kg	free	free	free
	7307.22		Threaded elbows, bends and sleeves:				
	.10	8	 For use with down pipes and gutter pipes 	kg	10%	6,7%	free
	.90	6	Other	kg	free	free	free

Head= ing	Subheading	ng	C D	Article Description	Statistical Unit	Rate of Duty			
						General	EU	SADC	
	7307.23			Butt welding fittings:					
		.10	4	For use with down pipes and gutter pipes	kg	10%	6,7%	free	
		.90	2	Other	kg	free	free	free	
	7307.29			Other:					
		.10	2	For use with down pipes and gutter pipes	kg	10%	6,7%	free	
		.90	0	Other	kg	free	free	free	
	7307.9			- Other:					
	7307.91			Flanges:					
		.10	3	For use with down pipes and gutter pipes	kg	10%	6,7%	free	
		.20	0	For use with electrical wiring conduit	kg	10%	6,7%	free	
		.35	9	 - Slip-on type, of an inside cross- sectional dimension of 25 mm or more but not exceeding 1 200 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes) 	kg	10%	6,7%	free	
		.40	5	 Other, of an inside cross-sectional dimension of 400 mm or more but not exceeding 610 mm 	kg	10%	6,7%	free	
		.90	1	Other	kg	free	free	free	
	7307.92			Threaded elbows, bends and sleeves:					
		.10	5	For use with down pipes and gutter pipes	kg	10%	6,7%	free	
		.20	7	For use with electrical wiring conduit	kg	10%	6,7%	free	
		.30	4	 - Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes) 	kg	10%	6,7%	free	
		.90	8	Other	kg	free	free	free	

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty			
					General	EU	SADC	
	7307.93		Butt welding fittings:					
	.10	6	For use with down pipes and gutter pipes	kg	10%	6,7%	free	
	.20	3	For use with electrical wiring conduit	kg	10%	6,7%	free	
	.30	0	 - Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes) 	kg	10%	6,7%	free	
	.90	4	Other	kg	free	free	free	
	7307.99		Other:					
			Butt welding fittings:					
	.10	4	For use with down pipes and gutter pipes	kg	10%	6,7%	free	
	.20	1	For use with electrical wiring conduit	kg	10%	6,7%	free	
	.30	9	 - Branch pipe pieces and Y-pieces, for use with pipes of an inside diameter not exceeding 30 mm (excluding those for use with electrical wiring conduit, down pipes and gutter pipes) 	kg	10%	6,7%	free	
	.90	2	Other	kg	free	free	free"	
73.08			By the substitut ion for subheading 7308.10 of the following:					
	".10	7	- Bridges and bridge-sections	kg	15%	10,5%	free"	
73.12			By the substitution for subheadings 7312.10.20, 7312.25 and 7312.40 of the following:					
	".20	2	Other stranded wire	kg	5%	3,35%	free	
	.25	3	Ropes and cables, of wire which is not plated, coated or clad	kg	5%	3,35%	free	
	.40	7	Ropes and cables, of wire which is plated, coated or clad with zinc	kg	5%	3,35%	free"	

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty			
					General	EU	SADC	
73.14			By the substitution for subheadings 7314.12.10 and 7314.12.90 of the following:					
	".10	5	 - With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft 	kg	5%	3,35%	free	
	.20	2	With more than 10 but not exceeding 80 apertures per cm in the weft	kg	5%	3,35%	free"	
			By the substitution for subheading 7314.13.10 of the following:					
	".10	1	 With more than 10 but not exceeding 80 apertures per cm in the warp as well as in the weft 	kg	5%	3,35%	free"	
			By the substitution for subheadings 7314.14.20 and 7314.14.30 of the following:					
	".20	5	 - With 4 or more but not exceeding 10 apertures per cm in the warp as well as in the weft (excluding insect screening) 	kg	5%	3,35%	free	
	.30	2	 With more than 10 but not exceeding 80 apertures per cm in the warp as well as in the weft 	kg	5%	3,35%	free"	
			By the substitution for subheading 7314.50 of the following:					
	"7314.50	3	- Expanded metal	kg	5%	3,35%	free"	
73.20			By the substitution for heading 73.20 of the following:					
"73.20			Springs and leaves for springs, of iron or steel:					
	7320.10	3	- Leaf-springs and leaves therefore	kg	5%	3,5%	free	
	7320.20	8	- Helical springs	kg	5%	3,5%	free	
	7320.90	9	- Other	kg	5%	3,5%	free"	